

References

- ASTM (Amer. Soc. for Testing and Materials). (1967). Erosion by cavitation or impingement. *ASTM STP408*.
- Acosta, A.J. (1955). A note on partial cavitation of flat plate hydrofoils. *Calif. Inst. of Tech. Hydro. Lab. Rep. E-19.9*.
- Acosta, A.J. (1958). An experimental study of cavitating inducers. *Proc. Second ONR Symp. on Naval Hydrodynamics*, **ONR/ACR-38**, 533–557.
- Acosta, A.J. and Hollander, A. (1959). Remarks on cavitation in turbomachines. *Calif. Inst. of Tech. Rep. E-79.3*.
- Acosta, A.J. (1960). Cavitating flow past a cascade of circular arc hydrofoils. *Calif. Inst. of Tech. Hydro. Lab. Rep. E-79.2*.
- Acosta, A.J. (1973). Hydrofoils and hydrofoil craft. *Ann. Rev. Fluid Mech.*, **5**, 161–184.
- Acosta, A.J. and Parkin, B.R. (1975). Cavitation inception—a selective review. *J. Ship Res.*, **19**, No. 4, 193–205.
- Arakeri, V.H. and Acosta, A.J. (1974). Viscous effects in the inception of cavitation on axisymmetric bodies. *ASME J. Fluids Eng.*, **95**, No. 4, 519–528.
- Arakeri, V.H. (1979). Cavitation inception. *Proc. Indian Acad. Sci.*, **C2**, Part 2, 149–177.
- Arakeri, V.H. and Shangumanathan, V. (1985). On the evidence for the effect of bubble interference on cavitation noise. *J. Fluid Mech.*, **159**, 131–150.
- Arndt, R.E.A. and Ippen, A.T. (1968). Rough surface effects on cavitation inception. *ASME J. Basic Eng.*, **90**, 249–261.
- Arndt, R.E.A. and Keller, A.P. (1976). Free gas content effects on cavitation inception and noise in a free shear flow. *Proc. IAHR Symp. on two-phase flow and cavitation in power generation*, 3–16.
- Arndt, R.E.A. (1981). Cavitation in fluid machinery and hydraulic structures. *Ann. Rev. Fluid Mech.*, **13**, 273–328.
- Benjamin, T.B. and Ellis, A.T. (1966). The collapse of cavitation bubbles and the pressures thereby produced against solid boundaries. *Phil. Trans. Roy. Soc., London, Ser. A*, **260**, 221–240.
- Betz, A. and Petersohn, E. (1931). Application of the theory of free jets. *NACA TM No. 667*.
- Biesheuvel, A. and van Wijngaarden, L. (1984). Two-phase flow equations for a dilute dispersion of gas bubbles in liquid. *J. Fluid Mech.*, **148**, 301–318.
- Billet, M.L. (1985). Cavitation nuclei measurements—a review. *Proc. 1985 Cavitation and Multiphase Flow Forum*, **FED 23**, 31–38.
- Birkhoff, G. and Zarantonello, E.M. (1957). *Jets, wakes and cavities*. Academic Press, NY.
- Blake, F.G. (1949). The onset of cavitation in liquids: I. *Acoustics Res. Lab., Harvard Univ., Tech. Memo. No. 12*.

- Blake, W.K., Wolpert, M.J., and Geib, F.E. (1977). Cavitation noise and inception as influenced by boundary-layer development on a hydrofoil. *J. Fluid Mech.*, **80**, 617–640.
- Blake, J.R. and Gibson, D.C. (1987). Cavitation bubbles near boundaries. *Ann. Rev. Fluid Mech.*, **19**, 99–124.
- Braisted, D.M. (1979). Cavitation induced instabilities associated with turbomachines. *Ph.D. Thesis, California Institute of Technology, Pasadena, Ca.*
- Brennen, C.E. and Acosta, A.J. (1973). Theoretical, quasistatic analyses of cavitation compliance in turbopumps. *J. of Spacecraft and Rockets*, **10**, No. 3, 175–180.
- Brennen, C.E. (1973). The dynamic behavior and compliance of a stream of cavitating bubbles. *ASME J. Fluids Eng.*, **95**, 533–542.
- Brennen, C.E. (1994). *Cavitation and bubble dynamics*. Oxford Univ. Press.
- Ceccio, S.L. and Brennen, C.E. (1991). Observations of the dynamics and acoustics of travelling bubble cavitation. *J. Fluid Mech.*, **233**, 633–660. Corrigenda, **240**, 686.
- Chahine, G.L. (1982). Cloud cavitation theory. *Proc. 14th ONR Symp. on Naval Hydrodynamics*, 165–194.
- Chamieh, D. (1983). Forces on a whirling centrifugal pump-impeller. *Ph.D. Thesis, Calif. Inst. of Tech., and Div. of Eng. and App. Sci. Report No. E249.2.*
- Chivers, T.C. (1969). Cavitation in centrifugal pumps. *Proc. Inst. Mech. Eng.*, **184**, Part I, No. 2, 37–68.
- Cooper, P. (1967). Analysis of single- and two-phase flows in turbo-pump inducers. *ASME J. Eng. Power*, **89**, 577–588.
- d’Agostino, L. and Brennen, C.E. (1983). On the acoustical dynamics of bubble clouds. *ASME Cavitation and Multiphase Flow Forum*, 72–75.
- d’Agostino, L., Brennen, C.E., Acosta, A.J. (1988). Linearized dynamics of two-dimensional bubbly and cavitating flows over slender surfaces. *J. Fluid Mech.*, **192**, 485–509.
- d’Agostino, L. and Brennen, C.E. (1989). Linearized dynamics of spherical bubble clouds. *J. Fluid Mech.*, **199**, 155–176.
- Duller, G.A. (1966). On the linear theory of cascades of supercavitating hydrofoils. *U.K. Nat. Eng. Lab. Rep. No. 218.*
- Falvey, H.T. (1990). Cavitation in chutes and spillways. *US Bur. of Reclamation, Eng. Monograph No. 42.*
- Fitzpatrick, H.M. and Strasberg, M. (1956). Hydrodynamic sources of sound. *Proc. First ONR Symp. on Naval Hydrodynamics*, 241–280.
- Franklin, R.E. and McMillan, J. (1984). Noise generation in cavitating flows, the submerged jet. *ASME J. Fluids Eng.*, **106**, 336–341.
- Franz, R., Acosta, A.J., Brennen, C.E. and Caughey, T.K. (1989). The rotordynamic forces on a centrifugal pump impeller in the presence of cavitation. *Proc. ASME Symp. Pumping Machinery*, **FED-81**, 205–212.

- Franz, R., Acosta, A.J., Brennen, C.E. and Caughey, T.K. (1990). The rotordynamic forces on a centrifugal pump impeller in the presence of cavitation. *ASME J. Fluids Eng.*, **112**, 264–271.
- Fujikawa, S. and Akamatsu, T. (1980). Effects of the non-equilibrium condensation of vapour on the pressure wave produced by the collapse of a bubble in a liquid. *J. Fluid Mech.*, **97**, 481–512.
- Furuya, O. and Acosta, A.J. (1973). A note on the calculation of supercavitating hydrofoils with rounded noses. *ASME J. Fluids Eng.*, **95**, 222–228.
- Furuya, O. (1974). Supercavitating linear cascades with rounded noses. *ASME J. Basic Eng., Series D*, **96**, 35–42.
- Furuya, O. (1975). Exact supercavitating cascade theory. *ASME J. Fluids Eng.*, **97**, 419–429.
- Furuya, O. (1985). An analytical model for prediction of two-phase (non-condensable) flow pump performance. *ASME J. Fluids Eng.*, **107**, 139–147.
- Furuya, O. and Maekawa, S. (1985). An analytical model for prediction of two-phase flow pump performance – condensable flow case. *ASME Cavitation and Multiphase Flow Forum*, **FED-23**, 74–77.
- Gates, E.M. and Acosta, A.J. (1978). Some effects of several free stream factors on cavitation inception on axisymmetric bodies. *Proc. 12th ONR Symp. on Naval Hydrodynamics*, 86–108.
- Gavrilov, L.R. (1970). Free gas content of a liquid and acoustical techniques for its measurement. *Sov. Phys.—Acoustics*, **15**, No.3, 285–295.
- Gongwer, C. (1941). A theory of cavitation flow in centrifugal-pump impellers. *Trans. ASME*, **63**, 29–40.
- Grist, E. (1974). NPSH requirements for avoidance of unacceptable cavitation erosion in centrifugal pumps. *Proc. I.Mech.E. Conf. on Cavitation*, 153–163.
- Gross, L.A. (1973). An experimental investigation of two-phase liquid oxygen pumping. *NASA TN D-7451*.
- Guinard, P., Fuller, T. and Acosta, A.J. (1953). Experimental study of axial flow pump cavitation. *Calif. Inst. of Tech. Hydro. Lab. Report, E-19.3*.
- Henderson and Tucker (1962). Performance investigation of some high speed pump inducers. *R.P.E. Tech. Note 214*. Referred to by Janigro and Ferrini (1973) but not located by the author.
- Herrig, L.J., Emery, J.C., and Erwin, J.R. (1957). Systematic two-dimensional cascade tests of NACA 65-series compressor blades at low speeds. *NACA TN 3916*.
- Hickling, R. and Plesset, M.S. (1964). Collapse and rebound of a spherical bubble in water. *Phys. Fluids*, **7**, 7–14.
- Hobbs, J.M., Laird, A., and Brunton, W.C. (1967). Laboratory evaluation of the vibratory cavitation erosion test. *Nat. Eng. Lab. (U.K.), Report No. 271*.
- Holl, J.W. and Wislicenus, G.F. (1961). Scale effects on cavitation. *ASME J. Basic Eng.*, **83**, 385–398.
- Holl, J.W. and Treaster, A.L. (1966). Cavitation hysteresis. *ASME J. Basic Eng.*, **88**, 199–212.
- Holl, J.W. (1969). Limited cavitation. *Cavitation State of Knowledge*, ASME, 26–63.
- Hsu, C.C. (1972). On flow past a supercavitating cascade of cambered blades. *ASME J. Basic Eng., Series D*, **94**, 163–168.

- Hydraulic Institute, New York. (1965). *Standards of the Hydraulic Institute* (11th edition).
- Jakobsen, J.K. (1964). On the mechanism of head breakdown in cavitating inducers. *ASME J. Basic Eng.*, **86**, 291–304.
- Jakobsen, J.K. (1971). Liquid rocket engine turbopump inducers. *NASA SP 8052*.
- Janigro, A. and Ferrini, F. (1973). Inducer pumps. In *Recent progress in pump research, von Karman Inst. for Fluid Dynamics, Lecture Series 61*.
- Johnson, V.E. and Hsieh, T. (1966). The influence of the trajectories of gas nuclei on cavitation inception. *Proc. 6th ONR Symp. on Naval Hydrodynamics*, 7-1.
- Johnsson, C.A. (1969). Cavitation inception on headforms, further tests. *Proc. 12th Int. Towing Tank Conf., Rome*, 381–392.
- Katz, J., Gowing, S., O'Hern, T., and Acosta, A.J. (1984). A comparative study between holographic and light-scattering techniques of microbubble detection. *Proc. IUTAM Symp. on Measuring Techniques in Gas-Liquid Two-Phase Flows*, Springer-Verlag, 41–66.
- Keller, A.P. (1974). Investigations concerning scale effects of the inception of cavitation. *Proc. I.Mech.E. Conf. on Cavitation*, 109–117.
- Keller, A.P. and Weitendorf, E.A. (1976). Influence of undissolved air content on cavitation phenomena at the propeller blades and on induced hull pressure amplitudes. *Proc. IAHR Symp. on two-phase flow and cavitation in power generation*, 65–76.
- Kermeen, R.W. (1956). Water tunnel tests of NACA 4412 and Walchner Profile 7 hydrofoils in noncavitating and cavitating flows. *Calif. Inst. of Tech., Hydrodynamics Lab. Rep. 47-5*.
- Kimoto, H. (1987). An experimental evaluation of the effects of a water microjet and a shock wave by a local pressure sensor. *ASME Int. Symp. on Cavitation Res. Fac. and Techniques*, **FED 57**, 217–224.
- Knapp, R.T., Daily, J.W., and Hammitt, F.G. (1970). *Cavitation*. McGraw-Hill, New York.
- Lauterborn, W. and Bolle, H. (1975). Experimental investigations of cavitation bubble collapse in the neighborhood of a solid boundary. *J. Fluid Mech.*, **72**, 391–399.
- Lee, C.J.M. (1966). Written discussion in *Proc. Symp. on Pump Design, Testing and Operation, Natl. Eng. Lab., Scotland*, 114–115.
- Lindgren, H. and Johnsson, C.A. (1966). Cavitation inception on headforms, ITTC comparative experiments. *Proc. 11th Int. Towing Tank Conf., Tokyo*, 219–232.
- Lush, P.A. and Angell, B. (1984). Correlation of cavitation erosion and sound pressure level. *ASME J. Fluids Eng.*, **106**, 347–351.
- Mansell, C.J. (1974). Impeller cavitation damage on a pump operating below its rated discharge. *Proc. of Conf. on Cavitation, Inst. of Mech. Eng.*, 185–191.
- McNulty, P.J. and Pearsall, I.S. (1979). Cavitation inception in pumps. *ASME Int. Symp. on Cavitation Inception*, 163–170.
- Medwin, H. (1977). In situ acoustic measurements of microbubbles at sea. *J. Geophys. Res.*, **82**, No.6, 921–976.
- Mimura, Y. (1958). The flow with wake past an oblique plate. *J. Phys. Soc. Japan*, **13**, 1048–1055.

- Moore, R.D. and Meng, P.R. (1970a). Thermodynamic effects of cavitation of an 80.6° helical inducer operated in hydrogen. *NASA TN D-5614*.
- Moore, R.D. and Meng, P.R. (1970b). Effect of blade leading edge thickness on cavitation performance of 80.6° helical inducers in hydrogen. *NASA TN D5855*.
- Murakami, M. and Minemura, K. (1977). Flow of air bubbles in centrifugal impellers and its effect on the pump performance. *Proc. 6th Australasian Hydraulics and Fluid Mechanics Conf.*, **1**, 382–385.
- Murakami, M. and Minemura, K. (1978). Effects of entrained air on the performance of a horizontal axial-flow pump. In *Polyphase Flow in Turbomachinery* (editors, C.E. Brennen, P. Cooper and P.W. Runstadler, Jr.), ASME, 171–184.
- Myles, D.J. (1966). A design method for mixed flow pumps and fans. *Proc. Symp. on Pump Design, Testing and Operation, Nat. Eng. Lab., Scotland*, 167–176.
- Naude, C.F. and Ellis, A.T. (1961). On the mechanism of cavitation damage by non-hemispherical cavities in contact with a solid boundary. *ASME J. Basic Eng.*, **83**, 648–656.
- Ng, S.L. and Brennen, C.E. (1978). Experiments on the dynamic behavior of cavitating pumps. *ASME J. Fluids Eng.*, **100**, No. 2, 166–176.
- Numachi, F. (1961). Cavitation tests on hydrofoils designed for accelerating flow cascade: Report 1. *ASME J. Basic Eng.*, **83**, Series D, 637–647.
- Numachi, F. (1964). Cavitation tests on hydrofoils designed for accelerating flow cascade: Report 3. *ASME J. Basic Eng.*, **86**, Series D, 543–555.
- Omta, R. (1987). Oscillations of a cloud of bubbles of small and not so small amplitude. *J. Acoust. Soc. Amer.*, **82**, 1018–1033.
- Ooi, K.K. (1985). Scale effects on cavitation inception in submerged water jets: a new look. *J. Fluid Mech.*, **151**, 367–390.
- Oshima, M. and Kawaguchi, K. (1963). Experimental study of axial and mixed flow pumps. *Proc. IAHR Symp. on Cavitation and Hydraulic Machinery, Sendai, Japan*, 397–416.
- Parkin, B.R. (1952). Scale effects in cavitating flow. *Ph.D. Thesis, Calif. Inst. of Tech., Pasadena*.
- Parkin, B.R. (1958). Experiments on circular-arc and flat plate hydrofoils. *J. Ship Res.*, **1**, 34–56.
- Patel, B.R. and Runstadler, P.W., Jr. (1978). Investigations into the two-phase flow behavior of centrifugal pumps. In *Polyphase Flow in Turbomachinery* (eds: C.E. Brennen, P. Cooper and P.W. Runstadler, Jr.), ASME, 79–100.
- Pearsall, I.S. (1963). Supercavitation for pumps and turbines. *Engineering (GB)*, **196(5081)**, 309–311.
- Pearsall, I.S. (1966-67). Acoustic detection of cavitation. *Proc. Inst. Mech. Eng.*, **181**, No. 3A.
- Pearsall, I.S. (1972). *Cavitation*. Mills & Boon Ltd., London.
- Pearsall, I.S. (1978). Off-design performance of pumps. *von Karman Inst. for Fluid Dynamics, Lecture Series 1978-3*.
- Peterson, F.B., Danel, F., Keller, A.P., and Lecoffre, Y. (1975). Determination of bubble and particulate spectra and number density in a water tunnel with three optical techniques. *Proc. 14th Int. Towing Tank Conf., Ottawa*, **2**, 27–52.

- Peck, J.F. (1966). Written discussion in *Proc. Symp. on Pump Design, Testing and Operation, Nat. Eng. Lab., Scotland*, 256–273.
- Plesset, M.S. (1949). The dynamics of cavitation bubbles. *ASME J. Appl. Mech.*, **16**, 228–231.
- Plesset, M.S. and Chapman, R.B. (1971). Collapse of an initially spherical vapor cavity in the neighborhood of a solid boundary. *J. Fluid Mech.*, **47**, 283–290.
- Plesset, M.S. and Prosperetti, A. (1977). Bubble dynamics and cavitation. *Ann. Rev. Fluid Mech.*, **9**, 145–185.
- Rains, D.A. (1954). Tip clearance flows in axial flow compressors and pumps. *Calif. Inst. of Tech. Hydro. and Mech. Eng. Lab. Report, No. 5*.
- Rayleigh, Lord. (1917). On the pressure developed in a liquid during the collapse of a spherical cavity. *Phil. Mag.*, **34**, 94–98.
- Rohatgi, U.S. (1978). Pump model for two-phase transient flow. In *Polyphase Flow in Turbomachinery* (eds: C.E. Brennen, P. Cooper and P.W. Runstadler, Jr.), ASME, 101–120.
- Ruggeri, R.S. and Moore, R.D. (1969). Method for prediction of pump cavitation performance for various liquids, liquid temperatures, and rotative speeds. *NASA TN D-5292*.
- Salemann, V. (1959). Cavitation and NPSH requirements of various liquids. *ASME J. Basic Eng.*, **81**, 167–180.
- Schoeneberger, W. (1965). Cavitation tests in radial pump impellers. *Ph.D. Thesis, Tech. Univ. Darmstadt*.
- Shima, A., Takayama, K., Tomita, Y., and Muira, N. (1981). An experimental study on effects of a solid wall on the motion of bubbles and shock waves in bubble collapse. *Acustica*, **48**, 293–301.
- Silberman, E. (1959). Experimental studies of supercavitating flow about simple two-dimensional bodies in a jet. *J. Fluid Mech.*, **5**, 337–354.
- Sloteman, D.P., Cooper, P., and Graf, E. (1991). Design of high-energy pump impellers to avoid cavitation instabilities and damage. *Proc. EPRI Power Plant Symp., Tampa, Fl., June 1991*.
- Soyama, H., Kato, H., and Oba, R. (1992). Cavitation observations of severely erosive vortex cavitation arising in a centrifugal pump. *Proc. Third I.Mech.E. Int. Conf. on Cavitation*, 103–110.
- Spraker, W.A. (1965). The effect of fluid properties on cavitation in centrifugal pumps. *ASME J. Eng. Power*, **87**, 309–318.
- Stahl, H.A. and Stepanoff, A.J. (1956). Thermodynamic aspects of cavitation in centrifugal pumps. *Trans. ASME*, **78**, 1691–1693.
- Stepanoff, A.J. (1961). Cavitation in centrifugal pumps with liquids other than water. *ASME J. Eng. Power*, **83**, 79–90.
- Stepanoff, A.J. (1964). Cavitation properties of liquids. *ASME J. Eng. Power*, **86**, 195–200.
- Stripling, L.B. and Acosta, A.J. (1962). Cavitation in turbopumps - Part I. *ASME J. Basic Eng.*, **84**, 326–338.
- Stripling, L.B. (1962). Cavitation in turbopumps - Part II. *ASME J. Basic Eng.*, **84**, 339–350.

- Sutherland, C.D. and Cohen, H. (1958). Finite cavity cascade flow. *Proc. 3rd U.S. Nat. Cong. of Appl. Math.*, 837–845.
- Thiruvengadam, A. (1967). The concept of erosion strength. Erosion by cavitation or impingement. *ASTM STP 408, Am. Soc. Testing Mats.*, 22.
- Thiruvengadam, A. (1974). Handbook of cavitation erosion. *Tech. Rep. 7301-1, Hydronautics, Inc., Laurel, Md.*
- Tulin, M.P. (1953). Steady two-dimensional cavity flows about slender bodies. *David Taylor Model Basin Rep. 834*.
- Tulin, M.P. (1964). Supercavitating flows - small perturbation theory. *J. Ship Res.*, **7**, No. 3, 16–37.
- Wade, R.B. and Acosta, A.J. (1966). Experimental observations on the flow past a planoconvex hydrofoil. *ASME J. Basic Eng.*, **88**, 273–283.
- Wade, R.B. (1967). Linearized theory of a partially cavitating cascade of flat plate hydrofoils. *Appl. Sci. Res.*, **17**, 169–188.
- Wade, R.B. and Acosta, A.J. (1967). Investigation of cavitating cascades. *ASME J. Basic Eng., Series D*, **89**, 693–706.
- Warnock, J.E. (1945). Experiences of the Bureau of Reclamation. *Proc. Amer. Soc. Civil Eng.*, **71**, No.7, 1041–1056.
- Wood, G.M. (1963). Visual cavitation studies of mixed flow pump impellers. *ASME J. Basic Eng.*, Mar. 1963, 17–28.
- Woods, L.C. and Buxton, G.H.L. (1966). The theory of cascade of cavitating hydrofoils. *Quart. J. Mech. Appl. Math.*, **19**, 387–402.
- Wu, T.Y. (1956). A free streamline theory for two-dimensional fully cavitated hydrofoils. *J. Math. Phys.*, **35**, 236–265.
- Wu, T.Y. (1962). A wake model for free streamline flow theory, Part 1. Fully and partially developed wake flows and cavity flows past an oblique flat plate. *J. Fluid Mech.*, **13**, 161–181.
- Wu, T.Y. and Wang, D.P. (1964). A wake model for free streamline flow theory, Part 2. Cavity flows past obstacles of arbitrary profile. *J. Fluid Mech.*, **18**, 65–93.
- Wu, T.Y. (1972). Cavity and wake flows. *Ann. Rev. Fluid Mech.*, **4**, 243–284.