

References

- Adkins, D.R. and Brennen, C.E. (1988). Analyses of hydrodynamic radial forces on centrifugal pump impellers. *ASME J. Fluids Eng.*, **110**, No. 1, 20–28.
- Agostinelli, A., Nobles, D. and Mockridge, C.R. (1960). An experimental investigation of radial thrust in centrifugal pumps. *ASME J. Eng. for Power*, **82**, 120–126.
- Alford, J.S. (1965). Protecting turbomachinery from self-excited rotor whirl. *ASME. J. Eng. for Power*, **87**, 333–344.
- Arndt, N. and Franz, R. (1986). Observations of hydrodynamic forces on several inducers including the SSME LPOTP. *Calif. Inst. of Tech., Div. Eng. and Appl. Sci., Report No. E249.3*.
- Biheller, H.J. (1965). Radial force on the impeller of centrifugal pumps with volute, semi-volute and fully concentric casings. *ASME J. Eng. for Power, July 1965*, 319–323.
- Black, H.F. (1969). Effects of hydraulic forces in annular pressure seals on the vibrations of centrifugal pump rotors. *J. Mech. Eng. Sci.*, **11**, No. 2, 206–213.
- Black, H.F. and Jensen, D.N. (1970). Dynamic hybrid properties of annular pressure seals. *Proc. J. Mech. Eng.*, **184**, 92–100.
- Bolleter, U., Wyss, A., Welte, I., and Sturchler, R. (1985). Measurements of hydrodynamic interaction matrices of boiler feed pump impellers. *ASME Paper No. 85-DET-148*.
- Bolleter, U., Wyss, A., Welte, I., and Sturchler, R. (1987). Measurement of hydrodynamic matrices of boiler feed pump impellers. *ASME J. Vibrations, Stress and Reliability in Design*, **109**, 144–151.
- Brennen, C. (1976). On the flow in an annulus surrounding a whirling cylinder. *J. Fluid Mech.*, **75**, 173–191.
- Brennen, C.E., Acosta, A.J., and Caughey, T.K. (1986). Impeller fluid forces. *Proc. NASA Advanced Earth-to-Orbit Propulsion Technology Conference, Huntsville, AL, NASA Conf. Publ. 2436*, 270–295.
- Brennen, C.E., Franz, R. and Arndt, N. (1988). Effects of cavitation on rotordynamic force matrices. *Proc. NASA Advanced Earth-to-Orbit Propulsion Technology Conference, Huntsville, AL, NASA Conf. Publ. 3012*, 227–239.
- Chamieh, D.S. and Acosta, A.J. (1981). Calculation of the stiffness matrix of an impeller eccentrically located within a volute. *Proc. ASME Cavitation and Polyphase Flow Forum*, 51–53.
- Chamieh, D.S., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1985). Experimental measurements of hydrodynamic radial forces and stiffness matrices for a centrifugal pump-impeller. *ASME J. Fluids Eng.*, **107**, No. 3, 307–315.
- Childs, D.W. (1983a). Dynamic analysis of turbulent annular seals based on Hirs' lubrication equation. *ASME J. Lubr. Tech.*, **105**, 429–436.
- Childs, D.W. (1983b). Finite length solutions for rotordynamic coefficients of turbulent annular seals. *ASME J. Lubr. Tech.*, **105**, 437–445.

- Childs, D.W. (1987). Fluid structure interaction forces at pump-impeller-shroud surfaces for rotordynamic calculations. *ASME Symp. on Rotating Machinery Dynamics*, **2**, 581–593.
- Childs, D.W. (1989). Fluid structure interaction forces at pump-impeller-shroud surfaces for rotordynamic calculations. *ASME J. Vibration, Acoustics, Stress and Reliability in Design*, **111**, 216–225.
- Childs, D.W. and Dressman, J.B. (1982). Testing of turbulent seals for rotordynamic coefficients. *Proc. Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Publ. 2250*, 157–171.
- Childs, D.W. and Dressman, J.B. (1985). Convergent-tapered annular seals: analysis and testing for rotordynamic coefficients. *ASME J. Tribology*, **107**, 307–317.
- Childs, D.W. and Kim, C.-H. (1985). Analysis and testing for rotordynamic coefficients of turbulent annular seals with different directionally homogeneous surface roughness treatment for rotor and stator elements. *ASME J. Tribology*, **107**, 296–306.
- Childs, D.W. and Scharrer, J.K. (1986). Experimental rotordynamic coefficient results for teeth-on-rotor and teeth-on-stator labyrinth gas seals. *Proc. Adv. Earth-to-Orbit Propulsion Tech. Conf., NASA Conf. Publ. 2436*, 327–345.
- Colding-Jorgensen, J. (1979). The effect of fluid forces on rotor stability of centrifugal compressors and pumps. *Ph.D. Thesis, Tech. Univ. of Denmark*.
- Domm, H. and Hergt, P. (1970). Radial forces on impeller of volute casing pumps. In *Flow Research on Blading* (ed: L.S. Dzung), Elsevier Publ. Co., 305–321.
- Dowson, D. and Taylor, C.M. (1979). Cavitation in bearings. *Ann. Rev. Fluid Mech.*, **11**, 35–66.
- Doyle, H.E. (1980). Field experiences with rotordynamic instability in high-performance turbomachinery. *Proc. First Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Pub. 2133*, 3–13.
- Duncan, A.B. (1966). Vibrations in boiler feed pumps: a critical review of experimental and service experience. *Proc. Inst. Mech. Eng.*, **181**, 55–64.
- Ehrich, F. and Childs, D. (1984). Self-excited vibration in high-performance turbomachinery. *Mech. Eng.*, May 1984, 66–79.
- Ek, M.C. (1978). Solution of the subsynchronous whirl problem in the high pressure hydrogen turbomachinery of the Space Shuttle Main Engine. *Proc. AIAA/SAE 14th Joint Propulsion Conf., Las Vegas, Nevada, Paper No. 78-1002*.
- France, D. (1986). Rotor instability in centrifugal pumps. *Shock and Vibr. Digest of Vibr. Inst.*, Jan. 1986, 9–13.
- Franz, R. and Arndt, N. (1986). Measurements of hydrodynamic forces on the impeller of the HPOTP of the SSME. *Calif. Inst. of Tech., Div. Eng. and Appl. Sci., Report No. E249*.
- Franz, R., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1990). The rotordynamic forces on a centrifugal pump impeller in the presence of cavitation. *ASME J. Fluids Eng.*, **112**, 264–271.
- Fritz, R.J. (1970). The effects of an annular fluid on the vibrations of a long rotor. Part I—Theory and Part II—Test. *ASME J. Basic Eng.*, **92**, 923–937.
- Grabow, G. (1964). Radialdruck bei Kreispumpen. *Pumpen und Verdichter*, No. 2, 11–19.

- Guinzburg, A., Brennen, C.E., Acosta, A.J., and Caughey, T.K. (1990). Measurements of the rotordynamic shroud forces for centrifugal pumps. *Proc. ASME Turbomachinery Forum*, **FED-96**, 23–26.
- Hergt, P. and Krieger, P. (1969-70). Radial forces in centrifugal pumps with guide vanes. *Proc. Inst. Mech. Eng.*, **184**, Part 3N, 101–107.
- Hirs, G.G. (1973). A bulk-flow theory for turbulence in lubricant films. *ASME J. of Lubr. Tech.*, April 1973, 137–146.
- Hori, Y. (1959). A theory of oil whip. *ASME J. Appl. Mech.*, June 1959, 189–198.
- Iversen, H.W., Rolling, R.E., and Carlson, J.J. (1960). Volute pressure distribution, radial force on the impeller and volute mixing losses of a radial flow centrifugal pump. *ASME J. Eng. for Power*, **82**, 136–144.
- Jery, B. and Franz, R. (1982). Stiffness matrices for the Rocketdyne diffuser volute. *Calif. Inst. of Tech., Div. Eng. and Appl. Sci., Report No. E249.1*.
- Jery, B., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1985). Forces on centrifugal pump impellers. *Proc. Second Int. Pump Symp., Houston, Texas*, 21–32.
- Karyeacis, M.P., Miskovich, R.S., and Brennen, C.E. (1989). Rotordynamic tests in cavitation of the SEP inducer. *Calif. Inst. of Tech., Div. of Eng. and Appl. Sci., Report E200.27*.
- KSB. (1975). *KSB Centrifugal pump lexicon*. Klein, Schanzlin and Becker, Germany.
- Lomakin, A.A. (1958). Calculation of the critical speed and the conditions to ensure dynamic stability of the rotors in high pressure hydraulic machines, taking account of the forces in the seals (in Russian). *Energomashinostroenie*, **14**, No.4, 1–5.
- Lorett, J.A. and Gopalakrishnan, S. (1983). Interaction between impeller and volute of pumps at off-design conditions. *Proc. ASME Symp. on Performance Characteristics of Hydraulic Turbines and Pumps*, **FED-6**, 135–140.
- Makay, E. and Szamody, O. (1978). Survey of feed pump outages. *Electric Power Res. Inst. Rep. FP-754*.
- Marscher, W.D. (1988). Subsynchronous vibration in boiler feed pumps due to stable response to hydraulic forces at part-load. *Proc. I.Mech.E. Conf. on Part Load Pumping, London*, 167–175.
- Miskovich, R.S. and Brennen, C.E. (1992). Some unsteady fluid forces measured on pump impellers. *ASME J. Fluids Eng.*, **114**, 632–637.
- Newkirk, B.L. and Taylor, H.D. (1925). Shaft whipping due to oil action in journal bearing. *General Electric Review*, Aug. 1925, 559–568.
- Nordmann, R. and Massmann, H. (1984). Identification of dynamic coefficients of annular turbulent seals. *Proc. Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Publ. 2338*, 295–311.
- Ohashi, H. and Shoji, H. (1984a). Theoretical study of fluid forces on whirling centrifugal impeller (in Japanese). *Trans. JSME*, **50**, No. 458 B, 2518–2523.
- Ohashi, H. and Shoji, H. (1984b). Lateral fluid forces acting on a whirling centrifugal impeller in vaneless and vaned diffuser. *Proc. Workshop on Rotordynamic Instability Problems in High Performance Turbomachinery, NASA Conf. Publ. 2338*, 109–122.

- Pinkus, O. and Sternlicht, B. (1961). *Theory of hydrodynamic lubrication*. McGraw-Hill, New York.
- Pollman, E., Schwerdtfeger, H., and Termuehlen, H. (1978). Flow excited vibrations in high pressure turbines (steam whirl). *ASME J. Eng. for Power*, **100**, 219–228.
- Rosenmann, W. (1965). Experimental investigations of hydrodynamically induced shaft forces with a three bladed inducer. *Proc. ASME Symp. on Cavitation in Fluid Machinery*, 172–195.
- Shoji, H. and Ohashi, H. (1980). Fluid forces on rotating centrifugal impeller with whirling motion. *Proc. First Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Pub. 2133*, 317–328.
- Stepanoff, A.J. (1957). *Centrifugal and axial flow pumps*. John Wiley and Sons, Inc., New York.
- Thompson, W.E. (1978). Fluid dynamic excitation of centrifugal compressor rotor vibrations. *ASME J. Fluids Eng.*, **100**, No. 1, 73–78.
- Tsujimoto, Y., Acosta, A.J., and Brennen, C.E. (1988). Theoretical study of fluid forces on a centrifugal impeller rotating and whirling in a volute. *ASME J. Vibration, Acoustics, Stress and Reliability in Design*, **110**, 263–269.
- Vance, J.M. (1988). *Rotordynamics of turbomachinery*. John Wiley and Sons, New York.
- Wachter, J. and Benckert, H. (1980). Flow induced spring coefficients of labyrinth seals for application in rotordynamics. *Proc. Workshop on Rotordynamic Instability problems in High Performance Turbomachinery, NASA Conf. Publ. 2133*, 189–212.
- Yamada, Y. (1962). Resistance of flow through an annulus with an inner rotating cylinder. *Bull. JSME*, **5**, No. 18, 302–310.